

LED Color Viewing Light 2.0 M/XL Hybrid

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

JUST Normlicht - LED Color Viewing Light 2.0 M/XL Hybrid

Light Cabinets for visual colour assessment using LED or Hybrid technology illuminations in various configurations



Introduction

Visual assessment of colour in accordance with various international norms

A light cabinet assures that visual colour assessments are done in a consistent and thus objective way, not affected by constantly changing natural or artificial lighting.

The use of a colour assessment cabinet in Quality Control is strongly recommended to assure a visual match when compared to data and assessments of a colour measuring instrument.

JUST Normlicht LED colour assessment cabinets eliminate product quality and supply chain problems caused by colour inaccuracy. Several versions are available to suit your specific needs and can be upgraded using the LED Color Control Professional software.

Being able to program light colours measured anywhere with a light measuring device offers ideal conditions for colour decisions under standardized but also special lighting conditions. Not only can metameric effects be recognized in time but all possible colour inconstancy effects for all kind of lighting conditions can be simulated.

JUST Normlicht has developed for the first time a LED light source that fulfils the high requirements for colour assessment of all industries where colour is crucial. To control the LED properties to the requirements JUST Normlicht has developed a complex multilevel calibration procedure that calibrates each single LED light source and stores the spectral properties in the unit's electronic controls. This process is unique and therefore has a patent filed for by JUST Normlicht.

- Illuminant D50, D65, +UV and A in "Basic" version, with dimmer and with luminance control

- Perfect simulation of any standard illuminant: D50, D65, D75 or A ect.
(with LED Control Professional software only!)
- Controlled UV content for recognition of fluorescence (OBA's)
(with LED Control Professional software only!)
- Independent selection of colour temperature or chromaticity coordinates
(with LED Control Professional software only!)
- Unique LED calibration method (patent pending)

In addition to the above mentioned features, the LED Color Viewing Light XL Hybrid "Basic" offers three additional fluorescent light tubes (by standard TL 84 but other fluorescent types may be chosen) to accurately simulate fluorescent lighting.

Features

To be able to reliably evaluate the colours of surfaces and materials, natural daylight is unsuitable. In the course of the day – and the year – it constantly changes its spectral configuration (and with that, the respective visual impression). Visual colour evaluation is indispensable when it comes to the selection and visual inspection of produced colours and materials. It is only after the visual determination of colour that colour measurements can take place and limit values can be defined.

But the evaluation of the colour sensation is not only important for a certain condition - metamerism colours which appear identical under a certain type of light suddenly show stark contrasts when exposed to a different degree or type of light as the spectral configuration of the light sources and the evaluated materials is in fact different. According to the currently valid norms for visual colour evaluation, the colour samples must look identical when viewed under the light type D65 and can show certain discrepancies under other types of light – that is to say, Metamerism becomes visible. The JUST Normlicht standardized lighting devices give the viewer the chance to promptly recognize Metamerism in time.

JUST Normlicht technology achievements

For those who want to have a more complete control of the illumination and are looking for a future technology available today, JUST Normlicht already offers the technology of tomorrow by using LED lighting for colour evaluation.

To control the LED properties to the multiple requirements of JUST Normlicht, a complex multilevel calibration procedure was developed that calibrates each single LED light source and stores the spectral properties in the unit's electronic controls. This process is unique and therefore has a patent filed for by JUST Normlicht. The multilevel calibration is divided into the basic factory calibration and permanent online-calibration during operation without using an external metrological device.

The JUST LED technology is not only exceeding the conventional Standardized Lighting Technology in light quality, but is now for the first time able to replicate a tremendous colour space with the highest quality, meaning a CRI between 90 and 100 and a Metamerism Index < 1. With this multispectral LED light source JUST Normlicht is creating a colour gamut larger than sRGB and is now able to replicate not only standardized light sources like D50 or D65 for the graphic arts industry but also other light sources like A, C, D55, D75 and any other white or coloured light. To avoid metamerism failure caused by optical brightening agents, the UV-content in the light source is also included.

A second advantage of the JUST LED technology is a lifetime of at least 10 times longer than that of the traditional fluorescent lamp technique. This means not only stable, unchanging quality of light over a very long

time period but also a high savings for replacement lamps over the life of a JUST LED Viewing Booth. Another advantage to keep in mind is the environmental benefit of the LED technology. By not using mercury and only a very little amount of phosphors, which are both major components of fluorescent lamps, the LED Technology reduces the amount of hazardous waste being disposed of in our landfills across the globe.

The cabinets are suitable for all industries and applications where there is a need to maintain colour consistency and product quality such as Textiles, Automotive, Ceramics, Cosmetics, Dyeing, Food, Footwear, Inks, Packaging and Printing.

In order to view your samples objectively without the influence of surround or background colours, the interiors of the cabinets are finished in a neutral matt grey.

Specifications

Principal specifications LED Color Viewing Light "Basic"

Model: LED Color Viewing Light M Hybrid "Basic"	
Standard Light Sources	D50, D65, A, Simulated TL84, UV, TL84
Overall Dimensions (W x H x D)	680 x 510 x 420 mm
Viewing Cavity (W x H x D)	650 x 380 x 360 mm
Weight	17.0 kg
Model: LED Color Viewing Light XL Hybrid "Basic"	
Standard Light Sources	D50, D65, A, Simulated TL84, UV, TL84
Overall Dimensions (W x H x D)	1080 x 800 x 880 mm
Viewing Cavity (W x H x D)	955 x 645 x 730 mm
Weight	45.0 kg
Optional accessories	
Sample tables for visual colour control	Weight
Table 45° (fixed version)	3.0 kg
Table 0-90°	6.0 kg
Software	Info

LED Control Professional

To upgrade and enable simulation of any standard illuminant or light source; needed for programming up to 10 illuminants into the LED cabinets

Accessories

Optional accessories for LED Color Light Cabinets

- B027196: LED Control Professional Software
- B027199: Table 45° (fixed version)
- B027216: Table 0-60° (variable version)
- B027173: Table 0-60° (variable XL-version for LED Hybrid XL)

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93