

Измерители блеска Uni Gloss 60A

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Gloss Meter UG-60A

Compact Gloss-Meter with 60° angle



Introduction

The UG-60A, is an affordable Gloss Meter with a 60° measuring angle, suitable for samples with medium gloss, ideal for paints and plastics. Ergonomic design, color display, scroll wheel operation and easy to navigate menu make gloss measurement easier than ever before. Statistics, Difference, Pass/Fail - ready for any task. The intelligent auto diagnosis guarantees long-term stable results and tells you when to calibrate.

Features

The UG-60A is an ultra compact portable Gloss Meter offering 60° measuring angles in full accordance with ISO, ASTM, DIN, BS and JIS norms. With only two operation keys, all functions such as language settings, calibration, measurement and statistics can be performed. The UG-60A is affordable and suitable for samples with medium gloss. For perfect production control up to 999 measurements are stored and used for statistical calculations.

Main features

- 60° geometry for semi gloss paint and plastic
- Intelligent auto diagnosis guarantees always accurate readings
- Easy scroll wheel operation with multilingual menu
- Statistics, Pass/Fail and Memory - ideal for QC and checks in the field
- Continuous mode to check uniformity over large areas
- Easy-to-read back-illuminated color display
- Data transfer via USB and Smart-Lab Gloss software (available via download-link)

Specifications

Principal Specifications Gloss Meter UG-60A

Model	Uni Gloss 60A
Measurement geometry	60°
Measurement spot size	60° : 9 × 15 mm
Standard compliance	ISO 2813, ISO 7668, ASTM D 523, ASTM D 2457, DIN 67 530, JIS Z 8741, BS 3900, BS 6161(Part 12)
Measurement range	60° : 0.0~1,000 GU
Resolution	0.0~99.9 GU : 0.1 GU 100~2,000 GU : 1 GU
Repeatability	0.0~99.9 GU : 0.2 GU 100~2,000 GU : 0.2% of reading
Inter Instrument Agreement	0.0~99.9 GU : 0.5 GU 100~2,000 GU : 0.5% of reading
Memory	999 measurements with date and time
Difference	measurement Memory for 50 standard
Battery performance	Approx. 4,000 measurements (when using 1.5 V AA(R6)size alkaline battery)
Measurement time	0.5 seconds
Power OFF	Auto : 10~99 seconds selectable
Languages	English, Spanish, German, French, Italian, Japanese, Portuguese, Russian, Turkish, Polish
Interface	USB 2.0
Operating temperature /humidity range	15 to 40°C / relative humidity 85% or less (at 35°C) with no condensation
Storage temperature /humidity range	-10 to 60°C / relative humidity 85% or less (at 35°C) with no condensation
Power supply	1.5 V AA(R6)size alkaline battery; via USB Port
Dimensions / Weight	155(W) × 73(H) × 48(D) mm / 400g
Standard Accessory	Calibration Holder 60° (High-gloss tile), USB-cable, Carrying case, Datatransfer-Software Smart-Lab Gloss (available via download-link), 1.5V AA(R6) size alkaline battery

Optional accessories for Uni Gloss 60A

Control Standard 60° UG-A503

Order Item Code 9979-010

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93